


A CONTRACTOR OF THE PARTY OF TH									
		Conte	ets			8		0	
1.	Introduction to Compute	er	7.	Hardware	and Softw	vare			
2.	Evolution of Computer		8.	CPU					
3.	Generation of Compute	r	9.	Types of M	lemory U	nits			
4.	Types of Computer		10.	Open and	Closed So	ource			
5.	IT gadget		11.	Data Units					
6.	Mobile Application							(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
0	0					and the state of t			
						A.	A STATE OF THE STA	SPECIAL VIEW	





- Programmable machine for data processing.
- Performs Input, Processing, and Output.
- Essential in Education, Business, Medical Science, and Entertainment.



Derivation of Computer


00000000000


- Full Form: Common Operating Machine Purposely Used for Technological Educational Research.
- Derived from Latin "Computare", meaning "to calculate".

Why Computer is Called an Electronic Device? Operates using Electricity and Binary System (0 & 1).Contains Electronic Circuits and Chips. Depends on SMPS for Power Regulation (AC to DC).



- Converts AC (Alternating Current) to DC (Direct Current).
- Regulates Voltage for Components like CPU, RAM, and Hard Disk.
- Provides Over-voltage and Short-circuit Protection.





	MUVAN	tages of Cou	mputers
01	All Frances	0	
03	Perform millions of calculations in second		Provides error-free results if data is correct. Connectivity
		D5 Automatio	
		plifies repetitive task increases productiv	

	Disadvantages of Co	mputers "
01	Over-dependency 02	Cyber Threats
	Reduces human problem-solving skills.	Vulnerable to hacking, viruses, and data breaches.
03	Health Issues 04	Job Loss
	Long screen time causes eye strain and posture problems. 05 High Costs	Automation replaces manual jobs.
	Expensive to buy, maintai and upgrade.	in.

Applications of Computers

Education

Online learning and research.

Healthcare

Medical diagnosis and surgeries.

Entertainment

Gaming, movies, and music streaming.


Banking

Online transactions and ATMs.

Government

E-governance and data management.

02 Evolution of computer Before 1945 - Mechanical Era



ABACUS-Abundant Beads Addition Calculation Utility System.

Definition :- It is also known as counting frame which is used for basic arithmetic calculations.

Inventor:- Mesopotamians

Date: - Around 2700 - 2300 BC.


Note :- For worldwide calculation, it was presented by China around 600 BC.


NAPIER'S BONES

Definition :- A device which is used for multiplication & division using rods .

Inventor:-John Napier

Date :- 1617







Definition :- It is also capable of multiplication & division .

Inventor :- Gottfried Wilhelm

Leibniz

Date :- 1673

Note: Father Of Binary System.



JACQUARD LOOM

Definition :- It is an automated weaving machine using punch cards for controlling the weaving pattern .

Inventor: - Joseph Marie Jacquard

Date :- 1804


CENSUS MACHINE

Definition:- It was used for data processing in census activities, utilizing punch cards for the data input.

Inventor :- Herman Hollerith

Date :- 1890





ANALYTICAL ENGINE

Definition :- It is a general purpose computer capable of performing calculation .


Inventor :- Charles Babbage


Date :- 1837

Note: For this invention, he was called

the "Father Of Computer".

Ada lovelace:- she is credited with creating the algorithm intended to be processed by a machine. She is also known as a first lady programmer.







Vacuum Tube

			-	200	386		-	30			**																	
						п						ķ.																
1111	111	***	***	111	110		**	118	253	11			***		**			***	**	***	11	***	10	101	111	111	111	801
igii	iiii	iii	ш	ij	iii	iii	ii.	m	111	ű	n	į,	iii	111	m	111	III	iii	ïï	mi	Ü	iii	iii	ï	iii	111	111	11
2782	222	222	121	222	122	222	27	111	222	22	221	1 2	122	221	22	222	22	222	11	111	22	22)	22	222	22	222	222	222
1111	222	111	111	111	181	111	12	118	333	23	23	111	979	111	111	11)	11	111	11	111	11	23	11	111	***	111	***	221
****			141	***	***		4.0	***	***					4 6 6	184	***		***			41		41	***	***	***		41
5555				8.00			5.5		200		-		CO.															
***		500	-																									
1111	110												0.50													-	-	

1575	111	111	111	111	111	111	11	***	п	**	**	111	***	**	153	111	111	111	22	111	11	33	111	331	111	111	111	111

Punch Card

FIRST GENERATION

TIMELINE 1945-1955

COMPONENT VACUUM TUBE

LANGUAGE MACHINE LANGUAGE

STORAGE PUNCH CARD

SPEED MILLISECOND

EXTRA ENIAC,UNIVAC

MARK 1

It is the first Electromechanical
Computer used for mathematical
calculation & scientific research
Inventor: Howard Aiken & IBM

Date :- 1944

Note: - IBM(International Business

Machine Corporation)

Established on 16 July 1911 by "Charles

Ranlett Flint".




ENIAC(Electronic Numerical Integrator And Computer)

It is a <mark>general purpose</mark> electronic digital computer .

Inventor :- John Presper Eckert & John William Mauchly .

Date:- 10 December 1945
It was developed during World War II.



UNIVAC (Universal Automatic Computer)

It is the first Commercial purpose computer.

Inventor :- John Presper Eckert & John William Mauchly .

Date :- 1951



SECOND GENERATION

TIMELINE 1955 - 1964


COMPONENT Transistors

LANGUAGE Assembly language

STORAGE Punch card, Magnetic Tape

SPEED Microsecond

EXTRA IBM - 1401



Transistor



Magnetic Tape

THIRD GENERATION

TIMELINE 1964 - 1975

COMPONENT IC(Integrated circuits)

LANGUAGE High level language

STORAGE Magnetic Tape

SPEED Nanosecond

EXTRA IBM - 360



Integrated Circuit



IBM - 360



TIMELINE

COMPONENT Microprocessor,
VLSIC(very large scale integrated circuit)

1975 - 1989

LANGUAGE C- LANGUAGE

STORAGE Optical Disk (CD , DVD, BRD)

SPEED PicoSecond

EXTRA IBM PC , APPLE PC



Microprocessor



Optical Disc

FIFTH GENERATION

TIMELINE 1989 - Till Now

COMPONENT Microprocessor, AI,
ULSIC(Ultra Large Scale

Integrated Circuit)

LANGUAGE Python, Java, C++,etc.

STORAGE HDD , SSD , Pendrive , etc.

SPEED PicoSecond


EXTRA PC, Desktop, Laptop, Smartphones, etc.



Artificial Intelligence



HDD



Types of Computer By Type By Size By Purpose Micro Analog Special Mini Digital General Mainframe Hybrid Super

By Purpose



Special-Purpose Computer:

A special-purpose computer is designed and optimized to perform a specific set of tasks or functions.


Example: Embedded System in

a Digital Camera



General-Purpose Computer

A general-purpose computer is designed to perform a wide range of tasks and applications. Example: Personal Computer (PC)



Types Of Digital Computer



Micro

These computers are built for light use such as listening to music, or playing movies or accessing the internet.



Mainframe

large storage capacity. Ex:

Mini

advance functionable computer

Super


large processing capacity








Param 8000	1st supercomputer in India
cdc-6600	1st supercomputer in world
AIRAWAT	Latest supercomputer in India
Frontier	World latest supercomputer
Fugaku (Japan)	World fastest supercomputer







An IT gadget is a small electronic device designed to make tasks easier, faster, or more convenient.



Types of IT Gadgets

Communication Gadgets Smartphones, tablets, and smartwatches.

Storage Gadgets External hard drives, USB drives, and memory cards.

Wearable Gadgets Fitness trackers, AR/VR glasses, and smart bands

Entertainment Gadgets

Home Gadgets

Smart TVs, smart speakers, and home security systems

Gaming consoles, streaming devices, and headphones

Overview of Programming Languages and Translators

- Utility Programs: Tools like text editors and compilers that help run programs.
- Low-Level Language: Includes Machine Language (binary) and Assembly Language (uses mnemonics like MOV, ADD).
- High-Level Language: Easier for humans to read and write (e.g., Python, C++).
- **Source Code:** The original code written by the programmer.
- Object Code: The translated code that can be executed by the computer.
- Language Translators: Convert source code into object code.
 - Interpreter: Translates code line-by-line at runtime.
 - Compiler: Translates the entire code at once.
 - Assembler: Converts Assembly Language into Machine Code.



BHIM

Definition: BHIM is a UPI-based mobile payment app enabling secure, fast, and cashless transactions.

Full Form: Bharat Interface for

Money.

Launch Date: December 30, 2016.









Definition: mAadhaar is a mobile application for accessing Aadhaar services and information on-the-go.

Full Form: Mobile Aadhaar.

Launch Date: July 19, 2017.









IRCTC

Definition: IRCTC is a government-owned company that manages online train ticket booking, catering services, and tourism-related services for Indian Railways passengers.

Full Form: Indian Railway Catering


and Tourism Corporation **Launch Date:** January 10, 2017 (for the mobile app)



Definition: Rural electrification initiative to provide electricity to villages in India.

Full Form: Gramin Vidyutikaran

Launch Date: Oct,14,2015








00000000000


- Definition: Hardware refers to the physical parts of a computer system that you can touch and interact with.
- Types of Hardware
- 1. Input hardware
- 2. Output hardware



000000000000


- An input device is any hardware used to send data to a computer for processing, allowing users to interact with the system.
- Two Main Input Devices
- 1. Keyboard
- 2. Mouse





Features of Keyboard

- Modifier Key: Keys like Shift, Ctrl, and Alt used with others for actions.
- Alphanumeric Keys: Letters (A-Z) and numbers (0-9) for input.
- Layout: Key arrangement, commonly QWERTY.
- Standard Keys:(101- 104) Basic keys like Enter, Backspace, and Spacebar.
- Toggle Key: Keys like Caps Lock and Num Lock that switch states.
- Navigation Keys: Arrow keys, Home, End, Page Up, and Page Down for navigation.
- Numeric Keypad:(17 key) Number keys (0-9) for quick input.
- Function Keys: Keys F1 to F12 for specific functions.







Mechanical Mouse

Uses a ball to detect movement.



Uses light sensors to detect movement.





Wireless Mouse

Works without wires, using Bluetooth or radio frequency.

Trackball Mouse

A stationary mouse with a movable ball for controlling the pointer.



Features of Mouse

Buttons

- Left Button: Used for selecting items and executing commands.
- Right Button: Used for opening context menus.
- Middle Button: Often used for scrolling or other customizable actions.

DPI (Dots Per Inch)

 DPI refers to the sensitivity of the mouse. A higher DPI means the pointer moves faster on the screen.

Functionality

- Pointing: Moving the cursor on the screen.
- Clicking: Pressing a button to select items or perform actions.
- Dragging: Holding a button while moving the mouse to select or move objects.

MICR (Magnetic Ink Character Recognition)

Definition: MICR is a technology used to read and process documents that contain special magnetic ink characters, commonly used for processing checks and other financial documents.






OCR (Optical Character Recognition)

Definition: OCR is a technology used to convert different types of documents, such as scanned paper documents, PDFs, or images, into editable and searchable data.






Touch Screen


Definition: A touch screen is an input device that allows users to interact with a computer or mobile device by touching the display screen.







 An output device is any hardware that receives data from a computer and converts it into a form that can be understood by the user, such as text, images, or sound.



Types of Printer

Impact

- A printer that prints by striking a ribbon against paper
- ex:-Dot matrix printer, Daisy wheel printer







Dot Matrix

Non-Impact

- A printer that prints
 without physically striking
 the paper
- Ex:- laser printer, Inkjet printer



Inkjet



Laserjet



Definition: A monitor is an output device that displays visual content such as text, images, and videos from a computer or other devices.



Features of Monitor

- The first computer monitor was invented Ferdinand Braun in 1897.
- Which type of LED used in TV:-Organic light emitting diodes (OLED)
- Which type of LED used in phone:-AMOLED stands for Active-Matrix Organic Light-Emitting Diode.
- Pixel:- smallest unit of a picture is called pixel.
- Resolution:- How many number of pixels are there on a screen. we call it resolution.
- How to measure screen size.

$$H^2 = B^2 + L^2$$
 $H^2 = (15)^2 + (8)^2$
 $H^2 = 225 + 64$
 $H^2 = 289$



Types of Monitor

CRT (Cathode Ray Tube)

A type of monitor that uses electron beams to display monochrome or RGB images.


LCD (Liquid Crystal Display)

A monitor that uses liquid crystals and an external light source, typically TFT(Thin Film Transistor), for display.

LED (Light Emitting Diode)


A monitor that uses LEDs for both backlighting and display, having its own light system.















VGA (Video Graphics Array)


Definition: VGA is a standard for displaying graphics on monitors, providing a resolution of 640x480 pixels, commonly used in older computer systems.





- Software is a set of programs that tell a computer what to do.
- How Software Works
- Running: Executes instructions in the computer's memory.
- 2. Processing: Handles data to perform tasks.
- Interacting: Communicates with hardware and other software.
- 4. **Generating Output:** Produces results or output after processing.





(Central Processing Unit)

The CPU is the "brain" of the computer. It performs all the calculations and processes the instructions given by software. It controls and manages all other parts of the computer.







Fetching instructions from memory.

Decoding the instructions.

Executing the instructions to perform operations.

Storing the results of operations back into memory or registers.










Performs mathematical operations like addition (+), subtraction (-), multiplication (*), division (/)

Performs **logical operations** like comparison (>, <, >=, <=, ==, !=), and bitwise operations.








Types of Processing




Serial Processing

Tasks run one by one, no instructions used.




Parallel Processing


Tasks run together on multiple processors.



Pipeline Processing

The processor executing second instruction before the first has been completed.





Memory Hierarchy (From Fastest to Slowest)

Level	Speed	Size	Location	Function
Registers	Fastest	Smallest (bytes)	Inside CPU	Holds temporary data and instructions.
Cache Memory	Very Fast	Small (KB to MB)	Close to or inside CPU	Stores frequently used data for fast access.
RAM (Main Memory)	Fast	Larger (GBs)	On the motherboard	Holds active data and instructions.
Secondary Storage	Slow	Very Large (GB to TB)	Connected via ports	Long-term storage (HDD, SSD).
Tertiary/ Off-line Storage	Very Slow	Very Large (TBs)	External/ Remote	Backup and archival storage.
Storage				0 0



Volatile Memory: Data is lost when the power is turned off.
It is a temporary memory.

Non-Volatile Memory: Data is retained even when the power is off.

It is a permanent memory.



Directly accessed by the CPU for processing. **Type: Volatile** (e.g., RAM).

There are 2 types:- RAM & ROM

RAM (Random Access Memory)


Temporary memory that loses data when power is off.



SRAM (Static RAM)

Does not need a refreshing cycle.
Example: Cache memory in processors like Intel
Core i7.

Types of RAM



DRAM (Dynamic RAM)

Needs periodic refreshing to retain data. Example: RAM in budget laptops or desktop PCs (4GB DDR3 RAM).



SDRAM (Synchronous DRAM)


Synchronizes with the CPU clock speed, making it faster than DRAM.
Example: DDR4 RAM used in gaming PCs (8GB DDR4).


Cache Memory


Cache Memory is a small, high-speed memory **located** between the **CPU and RAM**.


It stores **frequently used data** and instructions, improving overall system speed.


Purpose: Reduces time taken for CPU to access data from RAM, boosting performance.












ROM (Read-Only Memory)

Permanent memory that retains data even when power is off.



PROM (Programmable

- Can be written once and not erased.
- Example:
 Microcontrollers in
 washing machines.





EPROM (Erasable PROM)

- Can be erased using UV light and reprogrammed.
- Example: Older TV remote controllers.



EEPROM (Electrically Erasable PROM)

- Can be erased and reprogrammed using electrical signals.
- in modern desktops and laptops.



Chips in ROM

(Basic Input/Output System)

- Provides instructions for starting (booting) the computer.
- Cold Boot: Starting the computer from a completely powered-off state.
- Warm Boot: Restarting the computer without turning it off.

CMOS (Complementary Metal-Oxide Semiconductor)


- Stores system settings like date and time.
- Requires a battery to retain data.



Stores data permanently.

Type: Non-Volatile (e.g., HDD, SSD).

Types Of Secondary Memory




SSD (Solid State Drive)

A storage device that uses flash memory to store data, offering faster speeds and greater durability compared to traditional hard drives (HDDs), with no moving parts.

Floppy Disk

A portable storage device that uses a magnetic disk to store data, now outdated due to its low storage capacity and slow speed.





Optical Storage

CD (Compact Disc):

Stores up to 700MB of data.

Used for music, software, and small files.

DVD (Digital Versatile Disc):

Stores up to 4.7GB of data.


Used for movies, games, and larger files.

Blu-ray Disc (BD):

Stores 25GB to 50GB of data.


Used for high-definition movies and large data storage.






HDD (Hard Disk Drive)

A storage device that uses spinning magnetic disks (platters) to store data, commonly used for long-term data storage in computers.





Components of HDD

01 Platters


Magnetic disks that store data; they spin at high speeds. 02 Spindle

The motor that rotates the platters.

03 Actuator Arm The part that moves the read/write heads across the platters.

04
Read/Write
Heads

Tiny heads that read and write data on the platters.






Circular paths on the platter where data is stored.

Sector

Smallest unit of storage on a platter, where data is written.

Cluster


A group of sectors that together form a storage unit.



Open Source vs Closed Source

Point of Difference	Open Source	Proprietary (Closed Source)	
Definition	Free and open to all.	Owned and restricted by a company.	
Access to Source Code	Code is available to change.	Code is kept private	
Cost	Free to use.	Requires payment.	
Customization	Can be changed by anyone.	Cannot be changed.	





All Control of the Co	Unit	Abbreviation	Equivalent to
	Bit	b	Smallest unit of data (0/1)
131	Nibble	N	1 Nibble = 4 bits
	Byte	В	1 Byte = 8 bits = 2 Nibbles
	Kilobyte	KB	1 KB = 1,024 Bytes
	Megabyte	МВ	1 MB = 1,024 KB
	Gigabyte	GB	1 GB = 1,024 MB
	Terabyte	ТВ	1 TB = 1,024 GB
	Petabyte	PB	1 PB = 1,024 TB
	Exabyte	EB	1 EB = 1,024 PB
	Zettabyte	ZB	1 ZB = 1,024 EB
	Yottabyte	YB	1 YB = 1,024 ZB